



PRF0183878, PRF0183880

NikolaTesla Switch Glow

Full air control with a simple turn of the central flap: technology at your fingertips.

Design by **Design Fabrizio Crisà**

Generic Data

WEIGHT (KG) Filtering: 25.5kg Duct-out: 22.5kg	WIDTH (CM) 83x51,5x21cm	ENERGY CLASS A+
CUT OUT DIMENSIONS ON TOP INSTALLATION 80,7x49,2cm	MOTOR POWER 7400 WKW	

Motor

MOTOR 1000
Duct-out: 1000

Extraction

AIRFLOW MIN DUCT-OUT 135m ³ /h	AIRFLOW MAX DUCT-OUT 500m ³ /h	AIRFLOW BOOST DUCT-OUT 630m ³ /h
AIRFLOW FILTERING 110m ³ /h	AIRFLOW MAX FILTERING 400m ³ /h	AIRFLOW BOOST FILTERING 550m ³ /h
SUCTION SPEED 5,1m/s	MINIMUM NOISE LEVEL IN DUCT-OUT MODE 33db(A) - 66db(A)	MINIMUM NOISE LEVEL IN FILTERING MODE 39db(A) - 72db(A)
CONTROLS 9S+B Slider touch control	MOTOR POWER 175 W	

Cooking

CONTROLS 9P+B Touch control direct slider	VOLTAGE 220-240V	POWER LIMITATION Yes
NUMBER OF BRIDGE ZONES 2	FRONT LEFT COOKING ZONE OCTA 21x19,1 cm - 2,1/3 kW	RIGHT FRONT COOKING ZONE OCTA 21x19,1 cm - 2,1/3 kW

REAR LEFT COOKING ZONE

OCTA 21x19,1 cm - 2,1/3 kW

REAR RIGHT COOKING ZONE

OCTA 21x19,1 cm - 2,1/3 kW