



PRF0120977A, PRF0120978A

NikolaTesla One

Induction cooking meets extraction: central, powerful, quiet, class A++ rating. And you're ready to cook.

Design by **Design Fabrizio Crisà**

Generic Data

WEIGHT (KG)

Duct-out: 22kg
Filtering: 29.25kg

WIDTH (CM)

83x51,5x21cm

ENERGY CLASS

A+

CUT OUT DIMENSIONS ON TOP INSTALLATION

80,7x49,2cm

MOTOR POWER

7400 WKW

Motor

MOTOR 1000

Duct-out: 1000

Motor

MOTOR 1200

1200

Extraction

AIRFLOW MIN DUCT-OUT

130m³/h

AIRFLOW MAX DUCT-OUT

500m³/h

AIRFLOW BOOST DUCT-OUT

640m³/h

AIRFLOW FILTERING

105m³/h

AIRFLOW MAX FILTERING

400m³/h

AIRFLOW BOOST FILTERING

545m³/h

SUCTION SPEED

5,1m/s

MINIMUM NOISE LEVEL IN DUCT-OUT MODE

34db(A) - 66db(A)

MINIMUM NOISE LEVEL IN FILTERING MODE

40db(A) - 72db(A)

CONTROLS

9S+B Touch control

BOOST NOISE LEVEL IN DUCT-OUT MODE

Duct-out: vedi colonna 53db(A)

BOOST NOISE LEVEL IN FILTERING MODE

Duct-out: vedi colonna 77db(A)

MOTOR POWER

175 W

Cooking

CONTROLS

9P+B Touch control

VOLTAGE

220-240V

POWER LIMITATION

Yes

NUMBER OF BRIDGE ZONES

1 (SX)

FRONT LEFT COOKING ZONE

OCTA 21x19,1 cm - 1,65/1,85 kW

RIGHT FRONT COOKING ZONE

Ø 16 cm - 1,2/1,4 kW

REAR LEFT COOKING ZONE

OCTA 21x19,1 cm - 2,1/3 kW

REAR RIGHT COOKING ZONE

Ø 20 cm - 2,3/3 kW