



PRF0183878, PRF0183880

# NikolaTesla Switch Glow

Full air control with a simple turn of the central flap: technology at your fingertips.

Design by **Design Fabrizio Crisà**

---

## Generic Data

### WEIGHT (KG)

Filtering: 25.5kg  
Duct-out: 22.5kg

### WIDTH (CM)

83x51,5x21cm

### ENERGY CLASS

A+

### CUT OUT DIMENSIONS ON TOP INSTALLATION

80,7x49,2cm

### MOTOR POWER

7400 WKW

---

## Motor

### MOTOR 1000

Duct-out: 1000

---

## Motor

### MOTOR 1200

1200

---

## Extraction

### AIRFLOW MIN DUCT-OUT

135m<sup>3</sup>/h

### AIRFLOW MAX DUCT-OUT

500m<sup>3</sup>/h

### AIRFLOW BOOST DUCT-OUT

630m<sup>3</sup>/h

### AIRFLOW FILTERING

110m<sup>3</sup>/h

### AIRFLOW MAX FILTERING

400m<sup>3</sup>/h

### AIRFLOW BOOST FILTERING

550m<sup>3</sup>/h

### SUCTION SPEED

5,1m/s

### MINIMUM NOISE LEVEL IN DUCT-OUT MODE

33db(A) - 66db(A)

### MINIMUM NOISE LEVEL IN FILTERING MODE

39db(A) - 72db(A)

### CONTROLS

9S+B Slider touch control

### MOTOR POWER

175 W

---

## Cooking

**CONTROLS**

9P+B Touch control direct slider

**NUMBER OF BRIDGE ZONES**

2

**REAR LEFT COOKING ZONE**

OCTA 21x19,1 cm - 2,1/3 kW

**VOLTAGE**

220-240V

**FRONT LEFT COOKING ZONE**

OCTA 21x19,1 cm - 2,1/3 kW

**REAR RIGHT COOKING ZONE**

OCTA 21x19,1 cm - 2,1/3 kW

**POWER LIMITATION**

Yes

**RIGHT FRONT COOKING ZONE**

OCTA 21x19,1 cm - 2,1/3 kW