



PRF0183878, PRF0183880

NikolaTesla Switch Glow

Full air control with a simple turn of the central flap: technology at your fingertips.

Design by **Design Fabrizio Crisà**

Generic Data

WEIGHT (KG)

Filtering: 25.5kg
Duct-out: 22.5kg

WIDTH (CM)

83x51,5x21cm

ENERGY CLASS

A+

**CUT OUT DIMENSIONS ON TOP
INSTALLATION**

80,7x49,2cm

MOTOR POWER

7400 WKW

Motor

MOTOR 1000

Duct-out: 1000

Motor

MOTOR 1200

1200

Extraction

AIRFLOW MIN DUCT-OUT

135m³/h

AIRFLOW MAX DUCT-OUT

500m³/h

AIRFLOW BOOST DUCT-OUT

630m³/h

AIRFLOW FILTERING

110m³/h

AIRFLOW MAX FILTERING

400m³/h

AIRFLOW BOOST FILTERING

550m³/h

SUCTION SPEED

5,1m/s

**MINIMUM NOISE LEVEL IN DUCT-OUT
MODE**

33db(A) - 66db(A)

**MINIMUM NOISE LEVEL IN FILTERING
MODE**

39db(A) - 72db(A)

CONTROLS

9S+B Slider touch control

MOTOR POWER

175 W

Cooking

CONTROLS

9P+B Touch control direct slider

NUMBER OF BRIDGE ZONES

2

REAR LEFT COOKING ZONE

OCTA 21x19,1 cm - 2,1/3 kW

VOLTAGE

220-240V

FRONT LEFT COOKING ZONE

OCTA 21x19,1 cm - 2,1/3 kW

REAR RIGHT COOKING ZONE

OCTA 21x19,1 cm - 2,1/3 kW

POWER LIMITATION

Yes

RIGHT FRONT COOKING ZONE

OCTA 21x19,1 cm - 2,1/3 kW